





# PLATFORM EQUIPMENT

Equipment Type	Average Legal Acceptable Dims	What can we permit?
<p><b>FLATBED</b></p>  <p>Deck Length 45' to 53'</p> <p>Deck Height 58" to 60"</p>	<p>Length: 45' – 53'</p> <p>Width: 8' 6"</p> <p>Height: up to 8' 6"</p> <p>Legal Weight: 45k-50k</p>	<p>45K – 48K</p>
<p><b>3 AXLE FLATBED</b></p>  <p>Deck Length 45' to 53'</p> <p>Deck Height 58" to 60"</p>	<p>Length: 45' – 53'</p> <p>Width: 8' 6"</p> <p>Height: up to 8' 6"</p> <p>Legal Weight: 42-45k</p>	<p>43K – 45K</p>
<p><b>EXTENDABLE FLATBED</b></p>  <p>Deck Length 45' to 115'</p> <p>Deck Height 58" to 60"</p>	<p>Length: 45' – 115'</p> <p>Width: 8' 6"</p> <p>Height: up to 8' 6"</p> <p>Legal Weight: 40-42k</p>	<p>40K – 42K</p>
<p><b>3 AXLE EXTENDABLE FLATBED</b></p>  <p>Deck Length 45' to 94'</p> <p>Deck Height 58" to 60"</p>	<p>Length: 45' – 94'</p> <p>Width: 8' 6"</p> <p>Height: up to 8' 6"</p> <p>Legal Weight: 38k-40k</p>	<p>38K – 40K</p>

# PLATFORM EQUIPMENT

## Equipment Type


**Blade Trailer**

### Capacity





Well Length 53' - 145'  
Weight Up to 70K

Deck Length 53' - 145'





Deck Height  
52" to 60"





# PLATFORM EQUIPMENT

Equipment Type	Average Legal Acceptable Weights	Average Legal Acceptable Dims
<p><b>STEPDECK (DROPDECK)</b> <span style="float: right;"><b>SD</b></span></p>  <p>10' TO 11'</p> <p>Deck Length 37' to 43'</p> <p>Deck Height 30'' to 42''</p>	43K – 46K	<p><u>Bottom Deck</u></p> <p>Length: 37' – 43'</p> <p>Width: 8' 6"</p> <p>Height: up to 10' 6"</p>
<p><b>3 AXLE STEPDECK</b> <span style="float: right;"><b>SD3</b></span></p>  <p>10' TO 11'</p> <p>Deck Length 37' to 43'</p> <p>Deck Height 30'' to 42''</p>	40K – 43K	<p><u>Bottom Deck</u></p> <p>Length: 37' – 43'</p> <p>Width: 8' 6"</p> <p>Height: up to 10' 6"</p>
<p><b>EXTENDABLE STEPDECK</b> <span style="float: right;"><b>SDE</b></span></p>  <p>10' TO 11'</p> <p>Deck Length 38' to 61'</p> <p>Deck Height 30'' to 42''</p>	42K – 44K	<p><u>Bottom Deck</u></p> <p>Length: 38' – 61'</p> <p>Width: 8' 6"</p> <p>Height: up to 10' 6"</p>
<p><b>3 AXLE EXTENDABLE STEPDECK</b> <span style="float: right;"><b>SD3E</b></span></p>  <p>10' TO 11'</p> <p>Deck Length 38' to 68'</p> <p>Deck Height 30'' to 42''</p>	38K – 41K	<p><u>Bottom Deck</u></p> <p>Length: 38' – 68'</p> <p>Width: 8' 6"</p> <p>Height: up to 10' 6"</p>




# PLATFORM EQUIPMENT

Equipment Type	Average Legal Acceptable Weights	Average Legal Acceptable Dims
<p><b>DOUBLE DROP/ DETACH</b></p>  <p>10' TO 11'</p> <p>Well Length 24' to 29' 6"</p> <p>Well Height 18" to 24"</p>	<p>Legal: 38K – 42K</p> <p>Typical: Up to 60k</p> <p>Max: Up to 75k with a 4 axle truck</p>	<p><u>Well Length</u></p> <p>Length: 24' – 29' 6"</p> <p>Width: 8' 6" Height: up to 12'</p>
<p><b>DOUBLE DROP/ DETACH</b></p>  <p>10' TO 11'</p> <p>Well Length 24' to 29' 6"</p> <p>Well Height 18" to 24"</p>	<p>Legal: 37K – 40K</p> <p>Typical: Up to 75k</p> <p>Max: Up to 85k with a 4 axle truck</p>	<p><u>Well Length</u></p> <p>Length: 24' – 29' 6"</p> <p>Width: 8' 6" Height: up to 12'</p>
<p><b>LOWBOY/ R.G.N.</b></p>  <p>Well Length 24' to 29' 6"</p> <p>Well Height 18" to 24"</p>	<p>Legal: 38K – 42K</p> <p>Typical: Up to 60k</p> <p>Max: Up to 75k with a 4 axle truck</p>	<p><u>Well Length</u></p> <p>Length: 24' – 29' 6"</p> <p>Width: 8' 6" Height: up to 12'</p>
<p><b>3 AXLE LOWBOY/ R.G.N.</b></p>  <p>Well Length 24' to 29' 6"</p> <p>Well Height 18" to 24"</p>	<p>Legal: 37K – 40K</p> <p>Typical: Up to 75k</p> <p>Max: Up to 85k with a 4 axle truck</p>	<p><u>Well Length</u></p> <p>Length: 24' – 29' 6"</p> <p>Width: 8' 6"</p> <p>Height: up to 12'</p>

# PLATFORM EQUIPMENT

Equipment Type	Average Legal Acceptable Weights	Average Legal Acceptable Dims
<p><b>EXTENDABLE DOUBLE DROP/ DETACH</b></p> <p><b>DDE</b></p>  <p>The diagram shows a side view of a DDE trailer. A horizontal double-headed arrow above the well indicates a length of 26' to 52'. A vertical arrow on the left indicates a well height of 18" to 24". A horizontal arrow above the front section indicates a width of 10' to 11'. The trailer has a blue frame with red and white reflective markings.</p>	<p>Legal: 37K – 40K</p> <p>Typical: Up to 75k</p> <p>Max: Up to 85k with a 4 axle truck</p>	<p><u>Well Length</u></p> <p>Length: 26' – 52'</p> <p>Width: 8' 6" Height: up to 12'</p>
<p><b>3 AXLE EXTENDABLE DOUBLE DROP/ DETACH</b></p> <p><b>DD3E</b></p>  <p>The diagram shows a side view of a DD3E trailer, which is similar to the DDE but has three axles. It features the same well length (26' to 52') and height (18" to 24") dimensions. The front section width is 10' to 11'. The trailer has a blue frame with red and white reflective markings.</p>	<p>Legal: 34K – 37K</p> <p>Typical: Up to 75k</p> <p>Max: Up to 85k with a 4 axle truck</p>	<p><u>Well Length</u></p> <p>Length: 26' – 52'</p> <p>Width: 8' 6" Height: up to 12'</p>

# PLATFORM EQUIPMENT

Equipment Type	Capacity
<p><b>QUAD AXLE DOUBLE DROP/ DETACH</b></p> <p><b>DD4</b></p>  <p>10' TO 11'</p> <p>Well Length 24' to 32'</p> <p>Well Height 20'' to 24''</p>	<p>Well Length: 24' – 32'</p> <p>Weight: up to 120K</p>
<p><b>QUAD AXLE LOWBOY/ R.G.N.</b></p> <p><b>LOW4</b></p>  <p>Well Length 24' to 34'</p> <p>Well Height 20'' to 24''</p>	<p>Well Length: 24' – 34'</p> <p>Weight: up to 120K</p>
<p><b>QUAD AXLE EXTENDABLE DOUBLE DROP/ DETACH</b></p> <p><b>DD4E</b></p>  <p>10' TO 11'</p> <p>Well Length 26' to 54'</p> <p>Well Height 18'' to 26''</p>	<p>Well Length: 26' – 54'</p> <p>Weight: up to 110K</p>

# PLATFORM EQUIPMENT


## Equipment Type

MULTI-AXLE LOWBOY COMBINATION

LOW6

Capacity

Well Length 24' -29'  
Weight Up to 150K




MULTI-AXLE LOWBOY COMBINATION

LOW7

Capacity

Well Length 24' -29'  
Weight Up to 150K




MULTI-AXLE LOWBOY COMBINATION

LOW9

Capacity

Well Length 26' -29'  
Weight Up to 160K



# PLATFORM EQUIPMENT


## Equipment Type

MULTI-AXLE LOWBOY COMBINATION

LO6E

Capacity

Well Length 24' - 51'  
Weight Up to 150K




MULTI-AXLE LOWBOY COMBINATION

LO7E

Capacity

Well Length 26' - 55'  
Weight Up to 150K




MULTI-AXLE LOWBOY COMBINATION

LO9E

Capacity

Well Length 26' - 87'  
Weight Up to 160K





# PLATFORM EQUIPMENT

## Equipment Type

**Schnable**

Capacity

Well Length 40' - 150'  
Weight Up to 180K

